Data Directory Scanning

THE SHORT VERSION! ③

- 1. Log-in to DataScanner
- 2. Select Exam DO NOT SCAN BEFORE CALIBRATING
- 3. CALIBRATE SCANNER- for each new exam form
 - a. File
 - b. Configuration
 - c. Preferences
 - i. Calibrate will scan a doc
 - ii. Move red lines
 - iii. Save
 - iv. Save
- 4. Scan Answer Documents/bubble sheets
 a. SCAN
 b. SCAN NOW
- 5. **Review and approve exams** with errors
- 6. Commit Results

SEE ATTACHED FOR MORE DETAIL

How to Scan Answer Documents using DataScanner

IMPORTANT REMINDERS

- Before printing actual student scan sheets, TEST ALL SCANNERS AND PRINTERS. To do this, print a sample set of test sheets, fill in the responses and scan the results. Did the tests scan correctly? Was DataScanner able to read responses as expected?
- Appropriately printed answer documents are essential to scan successfully:
 - 1. Plain white copy paper Use letter or legal sheets, depending on test length
 - 2. Print to a laser printer (not ink or bubble jet)
 - 3. Print from Adobe Reader (7.0 or later) and 'Fit' or 'Shrink' to printable area
- Verify that you are using the most current version of DataScanner (1.2.2).
- Scanner glass, rollers and drums need to be cleaned occasionally to help prevent sheets from getting twisted, crumpled or lumped together.
- The more available PC Memory, the faster documents will scan and process.

STEP 1: LOG-IN

1. Double click the **DataScanner** icon on the scan station PC desktop.

DataScanner

🔟 DataScanner - Login 🛛 🛛
Username admin
Password ******
Remember my username and password
Login Cancel

- 2. Enter your DataDirector username and password and click Login.
- 3. If your account is associated with multiple sites or groups, click the appropriate site. If you are affiliated to only your school site, proceed to the next step.

STEP 2: SELECT AN EXAM

1. Use the exam selector at the top of the screen or Exam ID box to locate your exam.



2. Confirm that the appropriate exam has been selected. Ensure that your student answer documents exactly match the template on the screen. Cross referencing the Exam ID with your student answer documents and the test template is the most dependable method.

You have selected : 2007-2008 Algebra Final (1640)

No

Is this the correct exam?

Yes

Username admin

Password *******

Login

Remember my username and password

Cancel

How to Calibrate Your Answer Documents Using DataScanner

Why Calibrate?

Calibration is used to configure your scanner to correctly read the answer sheet within the printed registration marks (6 sideway T marks). Calibrating your scanner is not always necessary. If your scanner is processing your answer sheets without issue, it is not necessary to calibrate your scanner.

Step 1: Login

- 1. Double-click the **DataScanner** icon on the scan station PC desktop.
- 2. Enter your DataDirector username and password and click Login.
- 3. If your account is associated with multiple sites or groups, click the appropriate site. If you are affiliated to only your school site, proceed to the next step.

Step 2: Go to the File Menu

- 1. Click File.
- 2. Select Configuration.
- 3. Select Preferences.

	and the second	ra Contaky // Kalo	(D)
	a de la companya de la compa		Connettions
	uninguration		Preferences
E	kit	Ctrl+Q	Others D

Step 3: Set up the Calilbration

- 1. Click Calibrate.
- 2. Select your paper size.
- 3. Allow the document to feed.
- 4. Click OK.



Step 4: Calibrate the Answer Document

- 1. Use the Registration Mark Margin Arrows to bring the red perforated line in to "hug" the registration marks (T-marks).
- 2. The red perforated line should be as close to the T-marks as possible without touching them.



3. You may note that the T-marks are uneven on the page. This is okay as long as the red line is as close to the nearest T-mark on each of the margins.

Step 5: After You Have Calibrated

1. After you have your T-marks in the desired location, click Save Settings.



2. You will be re-directed to the configuration window where you will click **Save** once again.

Marked Bubble Sensitivity Minimum Density 60 %	Unmarked Bubble Sensitivity Min. Density Difference 20 %
Reset to Default	Reset to Default
Registration Mark Margins Measured in Inches Top 0.45 Bottom 0.05 Left 0.00 Right 0.25 Reset to Default Calibrate	
\frown	

STEP 3: SCANNING

- 1. Load the answer documents according to your scanner's specifications and click Scan Now.
- 2. After all documents are scanned, click **Finish**, or click **Continue** to scan more documents for the same test. Do not scan documents for a different test.
- Ready to Scan ...

 To start scanning, please place documents ir

 Scan Now

 Cancel

 Finish
 Continue Scanning
- 3. Review the Scanning Summary:
 - 1. *Scanned* the number of sheets identified by the scanner
 - 2. *Processed* the number of recognized DataDirector answer documents
 - Approved the number of answer documents ready to commit to DataDirector
- For information on why or how to fix answer documents that did not process or approve, click Why? or How Do I Fix? Or, refer to the *Troubleshooting Tips* sections.



5. Click OK.

STEP 4: REVIEWING, APPROVING AND COMMITTING RESULTS

1. Reviewing Documents : DataScanner	DataScanner 1.2.2 File Select Action View Go Logout Help Exam Information (Exam ID) 2007-2008 Reading Lions (Foro Abierto) Grade 3 Unit 1 (1617)		Commit Resu	ts (lear Data a	nd Start Over
automatically displays unapproved answer documents.	Image: Charactery Experimentary Experimentary 20: 300 Analysis wares down 30: 31 Sander Rame	Summary Description Document's Scansed Up Proce Document's Successfully Proce Document's Approved Bubble Sensitivity Reset to Default 60 1	essed Recapture Currer Recapture All Page 1 ×	of t	Total % 1 10 1 10 0 0% bcuments Fi sapproved D	of Total 0% 0% 6 iter scuments
	Network O C C C C C C C C C C C C C C C C C C C	Pocument Detail Form Period	Teacher ID 7760 5. A	7. 1	Student II 1358676 D 9.	,
Tip: While DataScanner automatically down menu reveals other options: <i>All Documents</i> : All scanned	displays <i>Unapproved Documents</i> , clicking the ma documents	aroon drop	6. B 5. C 6. C 5. A 6. A	8. 1 7. 1 8. 1 7. 1 8. 1	C 10 B 9. D 10 C 9. C 10	D A A D D
 Disapproved Documents: Ready Disapproved Documents: Re Unprocessed Documents: No 	ecognized as DataDirector scan sheets, but contain ot identified as DataDirector scan sheets	errors	Documents Unprocesser All Document	Filte d Doc	er uments	
			Disapproved Do Disapproved Unprocessed	Docu Docu Docu	ments iments	

Help Documents

DataDirector[™]

2.	Approvi Unappro contain y response example, bubbles, leaves a a few op • (ing Do wed an yellow s. This , when bubble blank tions. Dption studer and si	flagg s occu a stu e too respo <i>1</i> : Ig nt res	ents • doo ged urs, uden fair onse nore spon y sel	; stude for t dou tly o You yell ses ect tl	ents ent ible or i hav ow	e	Data Select Con Con	Scann tt Act Inform DDB Red atigate El atigate El	er 1.2.2 Isn Verv Go Logout Heigh alon (Exam D) along Lions (Foro Ablerto) Grad Here The Market State 101 The Market State 10		1 (1617) Norder Nor		Image: Second			Summa Description Documer Bubble : Reset to Documer Porm 1. / 2. f 1. E 2. f 1. C 2. f 2. C 2. C 2. C 2. C 2. C 2. C 2. C 2. C	ry on the Scanning Sc	ed sfully Proceed Ry Exercised a a b courment a a b courment a a b courment a a b courment a b courment a b courment a b courment a b courment a b courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment courment 	essed Recar Pa S. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 6. 5. 7. 7. 7. 7. 7. 7. 7	annit R ature Eu capture ge 1 A B C C C A A A Y N	esults	Clear Total 1 0 Docume Disapsr 1 1 0 C C C C Y Y Y	Note and % of 10% 10% 10% 0% 0%	Start Over	Į
Document De Form	Period 3. A 4. C	Teacher I 10000843 5. C 6. D	D 36	7.	Stud 3086 B C	ent ID 584 9. 10.	C C		N. 14 MIN	Comin W"	[Docu Form 1. 2.	A B,C	t Deta	ail Period 3. 4.	A C	Te 10 5. 6.	ache	r ID 3436 C D		7.	B C	Stude 3086	nt ID 34 9. 10.	C	

box. All yellow student responses on the right of the screen will be graded as incorrect.

• Option 2: Make manual corrections to student responses by clicking the yellow text response box on the right and typing the appropriate response (upper or lower case).

Click

Type

- Option 3: If the bubbles are and not identified by DataScanner, you can do on the fly adjustments. In the section Bubble Sensitivity ...
 - decrease the sensitivity for faint bubbles by clicking the **down arrow**.
 - increase the sensitivity for dark bubbles by clicking the up arrow.

Click **Recapture Current** or **Recapture All** to instantly adjust the sensitivity.

Bubble Sensitivity Documents Filter Reset to Default 75 Recapture All	Bubble Sensitivity Documents Filter Reset to Default 75 Recapture Current Disapproved Documents Image: Comparison of the sense
Approve this document Page of 1	Approve this document Page 1 of 1

- Option 4: DataScanner can be set to automatically approve answer documents with blank responses. To do this, go to File -> Configuration -> Other. Select the option to Approve Blank Answers. This is not necessarily a recommended feature because faintly bubbled responses may not be detected by DataScanner and may display as blank when in fact the student did respond to the question. Use with caution.
- 3. Registration Marks (T's): If student responses appear on the *left* of the screen but are blank or undetected on the *right*, this likely indicates DataScanner does not recognize all 6 registration marks (T's).

How to Scan Answer Documents

In the example below, the image is clearly seen on the *left* of the screen. However, DataScanner does not recognize the answer doc or the student responses on the *right*. Why? The printer or scanner cut off the upper left T mark. This sheet will not process or approve.



4. **Commiting Results**: Check the *Summary* section to verify that all answer docs have been *processed* and *approved*. When all the documents are ready, click **Commit Results** (green button) to send the results immediately to DataDirector.

	Commit Results	Clear D	ata and Start Over
Summary			
Description		Total	% of Total
Documents Scanned		2	100%
Documents Successfully Processed		2	100%
Documents Approved		2	100%

STEP 5: ACCESSING THE RESULTS

- 1. Login to DataDirector.
- 2. Go to **Exams** and select the appropriate exam.
- 3. Select any of the reports available to view and analyze student results.
- 4. You may also access exam reports from the *Prebuilt Reports* section in **Reports**.



DataDirector™

Help Documents

TROUBLESHOOTING TIPS

Unapproved Documents

Why does this happen?

Documents are not approved if bubble marks are not recognized by DataScanner.

Causes include:

- Bubbles filled too lightly
- Incomplete bubbles
- Multiple responses in a question
- Questions not bubbled at all (blank)
- Missing information (Student ID, Teacher ID)
- Scanner has skewed or twisted the sheet during scanning
- DataScanner did not recognize the scan sheet (could not locate the 6 registration marks)

How to Troubleshoot

Try these recommendations to help with your unapproved answer documents:

• Sensitivity: Adjust the scanner sensitivity by clicking the **Up Arrow** (for darker bubble issues) and the **Down Arrow** (for lighter bubble issues). Then click **Recapture Current** or **Recapture All**. This will reprocess the answer documents at a different sensitivity setting without having to physically rescan.

Description	Total & of Total
Documents Scanned Documents Successfully Processed Documents Approved	1 100% 1 100% 0 0%
Bubble Sensitivity Recapture Curre Reset to Default 64 ••• Recapture All	ent Disapproved Documents

- *Manual Corrections*: Click any responses on the right of the screen that are yellow and manually type the appropriate response.
- *Rescan*: Click the red button Clear Data and Start Over, then rescan.
- *Adjust Sheet Feed Guides*: At times scanner sheet feed guides need to be readjusted. It is helpful to move them back and forth a few times. Replace the documents on the automatic document feeder and rescan.
- *Printing*: Check to ensure the documents were printed correctly:
 - 1. Was a laser printer used? Was the ink/toner low?
 - 2. Was Adobe Reader 7.0 or higher used to print?
 - 3. Were the documents scaled or fit to printer margins?
 - 4. Was appropriate paper used $8 \frac{1}{2} \times 11$ or $8 \frac{1}{2} \times 14$?
 - 5. Are all 6 T's dark, visible and free of extra markings on the answer documents?
- *Clean Scanner*: Overtime scanners collect dirt, pencil residue and other particles. These elements can cause the machine to twist, crumple or lump sheets. Clean the scanner glass and rollers periodically.
- Software Update: Update to the most recent version of DataScanner: 1.2.2
- *Restart DataScanner*: Like any software application, it can be helpful to refresh the application by closing and then reopening it.

- *Calibrate DataScanner*: From the main DataScanner menu:
 - 1. Click File -> Configuration -> Preferences -> Calibrate
 - 2. Follow the calibration directions.
 - 3. Click Save Settings.
 - 4. Click Save.
 - 5. Rescan ALL documents.

Unprocessed Documents

Why does this happen?

Documents will not process if registration marks (T's) could not be identified.

Causes include:

- Scanner TWAIN driver not installed or enabled on the dedicated PC
- Poorly printed answer documents (margins too small, too big, etc.)
- Unclear, missing or marked T's
- Incorrectly fed documents (upside down, backwards, etc.)
- Scanner has skewed or twisted the documents during scanning
- Scanner sheet feed guides are stuck

How to Troubleshoot

Try these recommendations to help with your unapproved answer documents:

- *TWAIN Driver*: Ensure the scanner TWAIN driver has been installed and enabled. Then, in DataScanner click **File** -> **Select** -> **Scanner** -> and select the appropriate scanner TWAIN driver. If you do not see a TWAIN driver option, more than likely the driver has not been enabled and/or installed.
- *Rescan*: Click the red button Clear Data and Start Over, then rescan.
- *Adjust Sheet Feed Guides*: At times scanner sheet feed guides need to be readjusted. It is helpful to move them back and forth a few times. Replace the documents on the automatic document feeder and rescan.
- *Printing*: Check to ensure the documents were printed correctly:
 - 1. Was a laser printer used? Was the ink/toner low?
 - 2. Was Adobe Reader 7.0 or higher used to print?
 - 3. Were the documents **scaled** or **fit** to printer margins?
 - 4. Was appropriate paper used 8 1/2 x 11 or 8 1/2 x 14?
 - 5. Are all 6 T's dark, visible and free of extra markings on the answer documents?
- *Clean Scanner*: Overtime scanners collect dirt, pencil residue and other particles. These elements can cause the machine to twist, crumple or lump sheets. Clean the scanner glass and rollers periodically.
- Update: Update to the most recent version of DataScanner: 1.2.2
- *Restart DataScanner*: Like any software application, it can be helpful to refresh the application by closing and then reopening it.
- *Calibrate DataScanner*: From the main DataScanner menu:
 - 1. Click File -> Configuration -> Preferences -> Calibrate
 - 2. Follow the calibration directions.
 - 3. Click Save Settings.
 - 4. Click Save.
 - 5. Rescan ALL documents.